

MATERIAL SAFETY DATA SHEET

VALUE PRODUCTS, INC.

2128 INDUSTRIAL DRIVE, STOCKTON, CA 95206

PRODUCT CODE: 1410

REVISION : 3
DATE ISSUED: 03/18/03
SUPERSEDES : 03/20/02

SECTION I PRODUCT IDENTIFICATION

PRODUCT NAME: STAINLESS STEEL PRE-SOAK

CHEMICAL NAME : ALKALINE-DETERGENT BLEND
FORMULA: PROPRIETARY
DOT HAZARD CLASS: NONE

Table with 3 columns: HAZARD RATING (NFPA 704), HAZARD RATING, and PROTECTIVE EQUIPMENT. It lists health, fire, and reactivity ratings along with corresponding protective gear like goggles, gloves, and respirators.

CHEMTREC'S 24 HOUR EMERGENCY TELEPHONE NUMBER 800-424-9300

SECTION II HAZARDOUS INGREDIENTS

SUBSTANCES LISTED IN THIS SECTION ARE THOSE IDENTIFIED AS BEING PRESENT AT A CONCENTRATION OF 1% OR GREATER, OR 0.1% IF THE SUBSTANCE IS ON THE LIST OF POTENTIAL CARCINOGENS CITED IN OSHA HAZARD COMMUNICATION STANDARD.

Table with 4 columns: MATERIAL, CAS#, TLV, and PEL. It lists Sodium Dichloroisocyanurate with its respective safety limits.

SECTION III PHYSICAL DATA

BOILING POINT (°F): NOT APPLICABLE
VAPOR PRESSURE (AIR=1): NA
VAPOR DENSITY (AIR=1): NA
EVAPORATION RATE (WATER=1): NA
DESCRIPTION: WHITE GRANULAR POWDER, SLIGHTLY CHLORINE ODOR

SECTION IV FIRE AND EXPLOSION HAZARDS

FLASH POINTS: NON-COMBUSTIBLE
EXTINGUISHING MEDIA: WATER SPRAY, FOAM, CARBON DIOXIDE.
UNUSUAL FIRE OR EXPLOSIVE HAZARD: NONE KNOWN.

SECTION V HEALTH HAZARD DATA

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)
EYE CONTACT : MAY CAUSE IRRITATION, REDNESS, TEARING.
INHALATION : IRRITATION OR BURNING SENSATION TO NASAL AND RESPIRATORY TRACT. COUGHING IS ALSO COMMONLY OCCURRED.
INGESTION : CAN CAUSE NAUSEA, VOMITING AND GASTROINTESTINAL UPSET.
SKIN CONTACT : IRRITATION UPON PROLONGED CONTACT.
FIRST AID MEASURES
EYE CONTACT : IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

SECTION VI REACTIVITY DATA

STABILITY: STABLE
INCOMPATIBILITY (MATERIALS TO AVOID): STRONG ACIDS, OXIDIZERS.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: CARBON MONOXIDE CAN BE FORMED IN AN ENCLOSED AREA UPON CONTACTING WITH SUGAR
HAZARDOUS DECOMPOSITION: CARBON MONOXIDE.

SECTION VII SPILL OR LEAK PROCEDURES

CLEAN-UP PROCEDURES: SWEEP, SCOOP, VACUUM SPILLS AND TRANSFER TO DRY, SEALABLE CONTAINERS FOR DISPOSAL. FLUSH CONTAMINATED AREAS WITH WATER.
RECOMMENDED WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION VIII SPECIAL PROTECTION DATA

RESPIRATORY PROTECTION : NIOSH-APPROVED MASK/RESPIRATOR IF AIRBORNE EXPOSURE IS EXCESSIVE .
EYE PROTECTION : SAFETY GLASSES.
PROTECTIVE CLOTHING : RUBBER GLOVES, FULL-LENGTH CLOTHING.
VENTILATION : LOCAL EXHAUST VENTILATION
OTHER PROTECTIVE MEASURES: EYEWASH FOUNTAIN.

SECTION IX SPECIAL PRECAUTION

HYGIENIC PRACTICES IN HANDLING STORING: WASH THOROUGHLY AFTER HANDLING.
PRECAUTION TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY, VENTILATED AREAS. KEEP CONTAINERS CLOSED IF NOT IN USE.
DISPOSAL OF EMPTY CONTAINER: EMPTY CONTAINERS SHOULD BE TRIPLE RINSED WITH WATER AND DISPOSED OF PURSUANT TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.

SECTION X USER'S RESPONSIBILITY

THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE REMAINS WITH THE USER. THE USER SHOULD CONSIDER THE HEALTH HAZARD AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE AND SHOULD TAKE THOSE PRECAUTIONS REQUIRED IN AN INDIVIDUAL OPERATION TO INSTRUCT EMPLOYEES AND DEVELOP WORK PRACTICE PROCEDURES FOR A SAFE WORK ENVIRONMENT.

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

REVISION 11/10/93 REVISED HAZARDOUS INGREDIENTS, HEALTH, DISPOSAL DATA.
06/01/94 REVISED EMERGENCY PHONE NUMBER