



SDS

SAFETY DATA SHEET

Date prepared: November 17, 2020

Revision: 1

Supersedes: 08/06/20

1. Product and Company Identification

Company
 VALUE PRODUCTS, INC.
 2128 Industrial Drive
 Stockton, CA 95206

24 Hour Emergency Response Information
 CHEMTREC: (800) 424-9300

PRODUCT NAME: STRIKE FORCE
CHEMICAL NAME: ALKALI- SURFACTANT BLEND
MANUFACTURED FOR:

PRODUCT CODE: 1421

2. Hazards Identification

Emergency overview: WARNING. IRRITANT. Causes serious eye irritation. Causes skin irritation. Harmful if swallowed.

GHS Pictogram:



Precautionary Statement: Wear rubber gloves and safety glasses when handling this product. Wash hands thoroughly after handling.

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)

EYE CONTACT : Exposure to dust will cause irritation, redness and tearing.

INHALATION : Inhalation of dust will cause coughing and sneezing due to severe upper respiratory tract irritation.

INGESTION : Causes irritation of mouth, throat, and gastrointestinal tract. Other symptoms such as nausea, vomiting.

SKIN CONTACT : Will cause irritation, redness and rash upon prolonged contact.

3. Composition/ Information on Ingredients

Substances listed in this section are those identified as being present at a concentration of 1% or greater, or 0.1% if the substance is on the list of potential carcinogens cited in OSHA Hazard Communication Standard.

MATERIAL	CAS#	% BY WEIGHT
SODIUM META SILICATE	6834-92-0	< 13 %
SODIUM DICHLOROISOCYANURATE	51580-86-0	< 2 %

4. First Aid Measures

EYES: Immediately flush eyes with a directed stream of water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of all eye and lid tissues. Get medical attention immediately.

INGESTION: If swallowed, DO NOT induce vomiting. If victim is fully conscious, give large quantities of water to drink. Never give anything by mouth to an unconscious person. Get medical attention immediately.

SKIN CONTACT: Immediately flush skin with plenty of clean running water. Get medical attention if irritation persists.

INHALATION: Remove to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel.

5. Fire Fighting Measures

FIRE FIGHTING METHOD: This product will not burn or support combustion. If water is used, care should be taken, since it can generate heat. Avoid contact with skin and wear NIOSH approved breathing apparatus. Move containers from fire area if it can be done without risk.

EXTINGUISHING MEDIA: Use extinguishing agents suitable for the surrounding fire.

UNUSUAL FIRE OR EXPLOSIVE HAZARD: None known.

6. Accidental Release Measures

PERSONAL PRECAUTIONS: Isolate area. Keep unnecessary personnel away.

ENVIRONMENTAL PRECAUTIONS: Keep out of sewers, storm drains, and waterways.

CLEAN-UP PROCEDURES: Only trained and properly protected personnel should be involved in spill clean-up operations. Wear alkaline-resistant suit and complete protective equipment; rubber gloves, rubber boots, and chemical goggles. Vacuum or sweep up material and place in sealable waste containers for disposal.

RECOMMENDED WASTE DISPOSAL METHOD: The materials resulted from the clean-up operation may be hazardous, therefore, are subjected to specific regulations. Dispose of in accordance with all applicable Federal, State and Local regulations. Ensure that all applicable agencies receive proper notification of spill and disposal methods.

7. Handling and Storage

HYGIENIC PRACTICES IN HANDLING AND STORING: Wash hands thoroughly after handling.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: Store in cool, dry, ventilated areas.

DISPOSAL OF EMPTY CONTAINER: Empty containers should be triple rinsed with water and disposed of pursuant to Local, State and Federal requirements.

8. Exposure Controls / Personal Protection

RESPIRATORY PROTECTION: Niosh-approved dust mask, respirator if airborne exposure is excessive or use condition generates mist.

EYE PROTECTION: Chemical safety goggles.

PROTECTIVE CLOTHING: Rubber gloves, rubber boots and full-length clothing.

VENTILATION: Provide local exhaust ventilation.

OTHER PROTECTIVE MEASURES: Eyewash fountain and safety shower are recommended.

9. Physical and Chemical Properties

BOILING POINT: Not applicable
FREEZING/MELTING POINT: Unknown
VAPOR PRESSURE (AIR=1): Unknown
EVAPORATION RATE (WATER =1): N/A
PH 1% SOLUTION: 12 +/- 0.5
SPECIFIC GRAVITY: N/A

SOLUBILITY IN WATER: Complete
FLASH POINT: Non-combustible *METHOD USED:* Koehler CC
VAPOR DENSITY: Unknown
VISCOSITY: N/A
DESCRIPTION: White crystalline powder with chlorine odor.

10. Stability and Reactivity

STABILITY: Stable

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid mixing of this material with strong acids or oxidizers. Also avoid metals such as aluminum, tin, galvanized, zinc, brass, and bronze.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Excessive heat and incompatibles.

HAZARDOUS DECOMPOSITION: None known.

11. Toxicological Information

ROUTES OF ENTRY: Absorbed through skin. Inhalation. Ingestion.

CARCINOGEN: There is no evidence this product poses a carcinogenic risk under normal conditions of handling or use.

ACUTE EYE IRRITATION: Unknown

ACUTE SKIN IRRITATION: Unknown

ACUTE DERMAL TOXICITY: Unknown

ACUTE RESPIRATORY IRRITATION: Unknown

ACUTE INHALATION TOXICITY: Unknown

ACUTE ORAL TOXICITY: Unknown

CHRONIC TOXICITY: Unknown

12. Ecological Information

ECO-TOXICOLOGICAL INFORMATION: Unknown

CHEMICAL FATE INFORMATION: Unknown

13. Disposal Considerations

Waste disposal substance:

Do not discharge product into sewer system, storm drains or waterways. Dispose of in accordance with all applicable Federal, State and Local regulations.

Container disposal:

Empty containers should be triple rinsed with water and disposed of pursuant to Local, State, and Federal requirements.

14. Transport Information

Not considered hazardous by US DOT.

15. Regulatory Information

Federal Regulations: None Known

State Regulations: California Proposition 65- This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

California State Right to Know (SB258):

Sodium carbonate	497-19-8	Builder	N/A
Sodium tripolyphosphate	7758-29-4	Water Conditioning	N/A
Disodium metasilicate	6834-92-0	Builder	N/A
Sodium pentahydroxy capronate	527-07-1	Chelating Agent	N/A
Sodium dichlor-s-triazine trionedihydrate	51580-86-0	Oxidizer	N/A
Alkoxyated alcohols	N/A	Wetting Agent	N/A

16. Other Information

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.